



INTELLIGENCE

OFFICE OF THE UNDER SECRETARY OF DEFENSE  
5000 DEFENSE PENTAGON  
WASHINGTON, DC 20301-5000

AUG 23 2004

MEMORANDUM FOR DIRECTOR, DEFENSE INTELLIGENCE AGENCY  
DIRECTOR, NATIONAL GEOSPATIAL-  
INTELLIGENCE AGENCY  
DIRECTOR, NATIONAL SECURITY AGENCY  
DIRECTOR, NATIONAL RECONNAISSANCE  
OFFICE  
JOINT CHIEFS OF STAFF, J2  
ASSISTANT DEPUTY CHIEF OF STAFF FOR  
INTELLIGENCE, G2, DEPARTMENT OF THE  
ARMY  
DIRECTOR, NAVAL INTELLIGENCE,  
DEPARTMENT OF THE NAVY  
ASSOCIATE DIRECTOR, INTELLIGENCE,  
DIRECTORATE OF INTELLIGENCE,  
SURVEILLANCE AND RECONNAISSANCE,  
DEPARTMENT OF THE AIR FORCE  
ASSISTANT DIRECTOR OF INTELLIGENCE  
SUPPORT, HEADQUARTERS, UNITED STATES  
MARINE CORPS  
DIRECTOR, COUNTERINTELLIGENCE FIELD  
ACTIVITY  
DIRECTOR, ORGANIZATIONAL MANAGEMENT  
AND SUPPORT, USD(I)

SUBJECT: Revised Military Value Data Call for Defense Intelligence


A Military Value Data Call memorandum and questionnaire was distributed to the Intelligence Joint Cross-Service Group (IJCSG) Core Team on August 13<sup>th</sup> and 16<sup>th</sup> 2004. The questionnaire was in Microsoft Word format. In order to avoid the significant back-end data format issues that were identified, and are still be worked as part of the Capacity Data Call, we developed an embedded front-end application for the Military Value Data Call submission.



As the Chair, IJCSG, I request each addressee complete the attached questionnaire with the embedded front-end application; coordinate their responses, as needed, with all appropriate organizations, to include the Joint Chiefs of Staff, J2 and the Combatant Commands; certify that the responses are complete and accurate; and return the responses to me by September 13, 2004. All buildings that were reported under the Capacity Analysis data call should be captured in this data call.

Questions regarding this action should be directed to the IJCSG Core Team at 703-769-9450. If you require additional assistance, please contact Ms. Deborah Dunie, DUSD(I) CI&S, P&A at 703-614-5942.

Your cooperation throughout the entire BRAC 2005 process is appreciated. I am confident that all Defense intelligence activities will benefit from this collaborative review.



Carol A. Haave  
Deputy Under Secretary of Defense  
(Counterintelligence and Security)  
Chair, IJCSG

Attachment:  
Military Value Data Call Guidance and Questions with an Embedded Front-End Application

cc:  
Military Department BRAC Deputy Assistant Secretaries

(U) 3300

Facility Capability

18a. Do the communication/IT infrastructures meet threshold system/architecture requirements to support the mission? U NO

18b. What was the average operational availability for all networks for FY03 (Uptime/Operating Cycle)? U 100 %

18c. What is the total classified data storage (in terabytes) available at this facility? U

18d. What amount of classified data storage (in terabytes) is being utilized at this facility? U

18e.1. Enter number of parking spaces at this facility U

18e.2. Enter number of total workforce at this facility U

18f.1. Enter amount of supplemented sewer usage U 0

18f.2. Enter amount of total sewer usage U 0

18g.1. Enter amount of supplemented water usage U 0

18g.2. Enter amount of total water usage U 0

18h.1. Enter amount of supplemented electrical power usage U 0

18h.2. Enter amount of total electrical power usage U 0

18i.1. Enter amount of electrical power in MW that can be generated through the use of redundant and/or backup power supply U 0

18i.2. Enter average daily total power usage in MW U 0

COMMENTS - 18h.2

Classification

IJCSG - Military Value Survey

File Building Help

Please Create a New Survey

Buildings:

(U) 3300

Building: Highest Classification Level: U: (U) 3300

Facility Condition

19a. Enter IJSCG Facility Condition Code U 1

COMMENTS - 19a

Classification

Clear << Previous Next >> Validate Help

(U) 3300

Survivability and Force Protection

- 20a. Does this facility meet minimum standoff distance to controlled perimeter? U NO
- 20b. Does this facility have working chemical/biological detectors? U NO
- 20c. Are fire protection systems within code? U NO
- 20d. Is this facility within a controlled perimeter? U NO
- 20e. Does the facility's controlled access parking meet minimum standoff requirements? U NO
- 20f. Does this facility have blast-resistance facility features (windows, walls, etc.)? U NO
- 20g. Does this facility meet local standards/building codes related to natural disaster protection features appropriate for its location (e.g., flood, fire, earthquake, tornado, hurricane, etc.)? U NO
- 20h. Does this facility have exterior electronic monitoring systems covering the grounds? U NO
- 20i. Does this facility have armed guards and/or a response force trained and authorized to use deadly force? U NO
- 20j. Does this facility have high-speed approach barriers? U NO
- 20k. Is controlled access required to enter this facility? U NO
- 20l. Has this facility implemented any recommendations from a WMD vulnerability assessment performed within the last three years? U NO
- 20m. Does this facility have a current and implemented AT/FP plan? U NO

COMMENTS - 20k

Classification  
U

IJCSG - Military Value Survey

File Building Help

Please Create a New Survey

Buildings:

(U) 3300

Building: Highest Classification Level: U: (U) 3300

### Specialized Equipment

21a. Does this facility contain SE to monitor and control orbital and/or suborbital vehicles through the full spectrum of operations (launch, flight, and recovery)? U NO

21b. Does this facility contain SE to experiment and demonstrate new capabilities to reduce personnel, determine threat characteristics of foreign weapons systems and/or platforms, promote unmanned operations, or enhance situational awareness in realistic environments? U NO

21c. Does this facility contain highly customized Signals/ADP equipment, including super-computers? U YES

21d. Does this facility contain SE supporting critical communications and/or IT nodes? U YES

21e. Does this facility contain other community unique assets of the facility not included in previous question? U NO

21f. If yes to previous question (21.e), please specify. U N/A

COMMENTS - 21e

Classification

Clear << Previous Next >> Validate Help

**LJCSG - Military Value Survey**

File Building Help

Please Create a New Survey

Buildings:

(U) 3300

Building: Highest Classification Level: U: (U) 3300

### Sensitive Compartmented Intelligence (SCI) Facility Space

22a. Is this facility an accredited SCIF or does this facility contain space which is an accredited SCIF? U NO

22b. Does this facility contain space built to SCIF standards, but which is not an accredited SCIF? U NO

COMMENTS - 22a

Classification

Clear << Previous Next >> Validate Help

IJCSG - Military Value Survey

File Building Help

Please Create a New Survey

Buildings:

(U) 3300

Building: Highest Classification Level: U: (U) 3300

Geophysical Constraints

23a. Are this facility and/or its equipment at this location because of geographical and/or physics constraint(s)?

U NO

COMMENTS - 23a

Classification

Clear << Previous Next >> Validate Help

Buildings:  
(U) 3300

Building: Highest Classification Level: U: (U) 3300

Mission Assurance/Continuity of Operations Plan/Planning (COOP)

24a. Does this facility and/or its infrastructure currently protect its people and equipment against CBRNE agents and enable sustained mission performance within a contaminated environment, or is there funding programmed in the FYDP to do so? U NO

24b. Is this facility, or a portion thereof, a designated participant in federation(s)? U NO

24c. Is this facility designated as a COOP site? U NO

24d. What is the number of transportation nodes within a 25-mile radius of the facility? U 0

COMMENTS - 24c

Classification

[Dropdown] [Text Box]

LJCSG - Military Value Survey

File Building Help

Please Create a New Survey

Buildings:

(U) 3300

Building: Highest Classification Level: U; (U) 3300

Buildable Acres

25a. At this facility how many buildable acres are available for expansion? U NO

COMMENTS - 25a

Classification U {100}

Clear << Previous Next >> Validate Help

IJCSG - Military Value Survey

File Building Help

Please Create a New Survey

Buildings:

(U) 3300

Building: Highest Classification Level: U: (U) 3300

### Human & Intellectual Capital

26a\_1. What is the total number of personnel with Bachelor or higher degrees? U 0

26a\_2. What is the total workforce number of personnel? U 0

26b\_1. What is the total workforce number of personnel with foreign language proficiency? U 0

26b\_2. What is the total workforce number of personnel? U 0

26c\_1. What is the total workforce number of personnel with cultural/regional experience? U 0

26c\_2. What is the total number of personnel? U 0

26d\_1. What is the total number of personnel with scientific/technical experience? U 0

26d\_2. What is the total workforce number of personnel? U 0

26e. What is the average experience level in work years of the total workforce? U 0

26f. What is the number of colleges/universities located within 25 miles of your facility? U 0

COMMENTS - 26f

Classification

Clear << Previous Next >> Validate Help

**IJCSG - Military Value Survey**  
File Building Help  
Please Create a New Survey  
Buildings:  
(U) 3300

**Building: Highest Classification Level: U: (U) 3300**

**Geographical and Professional Relationships (Industrial/Academic/Government)**

27a. What is the number of colleges/universities of higher learning within 50 miles of your facility that assist in mission accomplishment? U 0

27b. What is the number of commercial firms located within 50 miles of your facility that assist in mission accomplishment? U 0

27c. What is the number of FFRDCs located within 50 miles of your facility that assist in mission accomplishment? U 0

27d. What is the number of federal government agencies/organizations within 50 miles of your facility that assist in mission accomplishment? U 0

27e. Is there a federal statutory requirement (in existence as of 30 Sept 2003) mandating this facility's location? U UNKNOWN

27f. If YES to 27.e, cite specific federal statute establishing requirement. U M/A

COMMENTS - 27e

Classification

Clear << Previous Next >> Validate Help

IJCSG - Military Value Survey

File Building Help

Please Create a New Survey

Buildings:

(U) 3300

Building: Highest Classification Level: U: (U) 3300

### Economic Cost of Location

28a. What is your host installation's Area Cost Factor (ACF) Index as described in the DoD Facilities Pricing Guide?

U [ ]

0

COMMENTS - 28a

Classification  
U [ ]

Clear << Previous Next >> Validate Help